

Ships' risky fuel transfers are threatening African Penguins

By [Peter Ryan](#), [Katrin Ludynia](#) and [Lorien Pichegru](#)

4 Sep 2019

The African Penguin is in serious trouble. Its population has fallen by [more than 95%](#) over the last century and, despite ongoing conservation efforts, its numbers continue to fall. There are now barely 20,000 breeding pairs in the world - and the largest colony is in South Africa, on islands around Algoa Bay in the country's Eastern Cape province.



An oiled penguin in the aftermath of a spill in the waters of Algoa Bay. Lloyd Edwards

There are several reasons for the decline in African Penguin numbers. Historically, [egg collecting](#) played a major role in decreasing population numbers, and [guano scraping](#) for fertiliser removed important nesting habitats. But today the main threat the African Penguin faces is a shortage of the small fish it prefers to feed on.

Environmental changes coupled with [local overfishing](#) have seen the penguin's prey shift their range from the west coast upwelling region to South Africa's south coast. However, there are very few suitable breeding islands off the south coast, and that leaves the penguins with few safe breeding locations.

Now oil spills from a project that's designed to harness the economic potential of South Africa's oceans are threatening the world's largest remaining African Penguin colony. Although there is a need to balance economic development and conservation, the African Penguin is an endangered species and – given that it is home to the largest colony – South Africa is largely responsible for ensuring its survival.

Oil spills

The colony is on St Croix Island, next to Coega harbour in Algoa Bay near the city of Port Elizabeth. The harbour is a deep-water, free trade port that's a key component of [Operation Phakisa](#) – a government drive to promote the “blue” (ocean) economy.

For the last three years ship-to-ship bunkering, which involves the transfer of fuel from one vessel to another at sea, has been permitted in the bay close to this crucial seabird breeding island. In that time there have been two oil spills that have killed penguins and other seabirds in the area.

The [Marine Pollution \(Control and Civil Liability\) Act 6 of 1981](#) prohibits such routine bunkering off the South African coast because it is an inherently risky operation. Small leaks in pipelines or tank overflows can cause serious pollution. Once oil has been spilled it is dispersed by currents and the wind. This makes it very difficult to contain.

Oil spills have [severe effects on seabirds](#). Oil reduces the seabirds' insulation, leaving them vulnerable to hypothermia. It also causes skin irritation and ulcers. They try to preen oil off their plumage, invariably ingesting some of the highly toxic fuel oil, which disrupts their endocrine systems. Penguins are especially prone to oiling because they are flightless, and so are unable to fly over polluted areas.

Rehabilitation facilities such as the Southern African Foundation for the Conservation of Coastal Birds [SANCCOB](#) do a tremendous amount to try and mitigate the effects of oil spills. But [research shows](#) that oiled African Penguins which are cleaned and released have lower breeding success than unoiled birds.

The two oil spills – one in [2016](#) and the other in [July this year](#) – near St Croix have affected at least 220 African Penguins and there are about 15,000 in the colony.

In each case, penguin nests containing eggs and chicks were abandoned. [Cape Gannets](#) and [Cape Cormorants](#), both listed by the International Union for Conservation of Nature as globally endangered, were also oiled. Fortunately, both spills were relatively minor. A major spill could impact a large proportion of the beleaguered African Penguin population.

Environmental damage

This is a hugely worrying situation. No environmental risk assessment has been conducted for the bunkering operations that have led to two oil spills. This is also despite the fact that the bay is a marine biodiversity hotspot, and its seabird breeding islands fall within the recently-declared [Addo Marine Protected Area](#).

A number of environmental stakeholders, including [BirdLife South Africa](#), have repeatedly raised concerns about this practice. But their objections have been ignored.

Ship-to-ship bunkering in Algoa Bay should be halted pending a thorough cost-benefit assessment of the practice. We don't know the benefits to the local economy, but the costs of oil spills are clear: they negatively affect local fisheries and the burgeoning marine tourism sector, as well as several endangered species.

Alistair McInnes, manager of BirdLife Seabird Conservation Programme; Christina Hagen of BirdLife South Africa; and Christian Triay of SANCCOB also contributed to this article.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

ABOUT THE AUTHOR

Peter Ryan, director, FitzPatrick Institute of African Ornithology, University of Cape Town. Katrin Ludynia, honorary research associate and research manager at SANCOOB, University of Cape Town. Lorien Pchegru, researcher in marine ecology, Nelson Mandela University.

For more, visit: <https://www.bizcommunity.com>